TECHNICAL DATA

SYSTEM 2000

1500 x 1200 x 990 mm

PRODUCT BENEFITS

- Robust, durable three-piece container
- Low container weight
- Non-slip sandwich folding
- Intuitive, fast, ergonomic handling
- Protection against water and dirt
- No manual locking required



Hang-in lid*

- Saving of space at the place of use
- Extra ergonomics and easy handling

Visual inspection of empties

• Direct check of the completeness of all elements (sleeve contained in empties)





Scan for more information.





Secure empty unit

- Protection of the folded sleeve
- No damage to the containers by slipping
- Safe and stable stacking



Integrated base insert*

- No loss of base insert, as firmly attached to the sleeve
- Fixation of sleeve with pallet in assembled, loaded condition



Safe stacking

- No tying necessary
- Fast, safe and uncomplicated stacking of the full and empty containers



TECHNICAL DATA

SYSTEM 2000

1500 x 1200 x 990 mm



TECHNICAL DATA

External dimensions: $1.500 \times 1.200 \times 990 \text{ mm}$ **Internal dimensions:** $1.430 \times 1.130 \times 816 \text{ mm}$

Volume: 1319 l Tare weight: 49 kg

Empties height: 198 mm in a stack
Folding system: Sandwich folding

High rack (without base):

LOADS

Payload (max.): 250 kg Stacking load (max.): 1,250 kg Stacking factor: 1+4

(with max. payload and stacking load)

LOGISTICS AND TRANSPORT

Return rate: 1:4.7 Volume reduction: 79 %

CAPACITY UTILISATION IN MEGA-TRAILER (13.6 x 2.48 x 3.0 m)

Full: 54



Empty: 252



Storage positions: 18

1	2	3	4	5	6	7	8	9	
10	11	12	13	14	15	16	17	18	









SANDWICH	PALLET	SLEEVE	LID
Material	PE	PP	PE
Grammage	-	3000 g/m ²	-
Equipment* further options available	Open surface, 9 feet 4-way entry pallet Drainage holes	M-folding 1 flap door 800 x 350 mm 2 label holders A5 Integrated base insert *	2 handles, black 2 hinged suspension lugs* + FRONT Sticker*

You can get on request further options like additional flap doors, individual printing, tracking systems as well as customized inside packaging solutions – just contact us.







